


Mid America Motocross Series Classes

Class Number	Class	Age Requirements	Engine Size/Type	Notes
1	50cc Jr STOCK	4-6 Years Old	0cc – 51cc 2 or 4 Stroke	Single-speed automatic. Maximum wheelbase 36 inches. Maximum wheel size 10 inches. Maximum seat height 24 inches. No larger than 14mm round intake.
2	50cc Sr STOCK	7-8 Years Old	0cc – 51cc 2 or 4 Stroke	Single-speed automatic. Maximum wheelbase 41 inches. Maximum wheel size 12 inches. Retrofitted 12-inch wheels are permitted on all class 2 motorcycles. OEM parts must be used. No larger than 19mm round intake.
3	Pee Wee, Shaft/TTR/XR/ET. STOCK	4-8 Years Old	0cc – 51cc 2 or 4 Stroke	Single or multi-speed automatic. Maximum wheelbase 38 inches. Maximum wheel size 10 inches. Maximum seat height 22 inches. No larger than 13mm round intake.
3.1	50cc Special Stock	4-8 Years Old	See Attached Class Chart	
4	50cc Open Stock	4-8 Years Old	0cc – 51cc 2 or 4 Stroke	Single-speed automatic. Maximum wheelbase 41 inches. Maximum wheel size 12 inches. Retrofitted 12-inch wheels are permitted on all class 2 motorcycles. OEM parts must be used. No larger than 19mm round intake.
All Stock Classes				
		All carburetors are to be original equipment. The intake side of the cylinder/output side of the carburetor must have an opening no larger than the above-mentioned size for that class. The opening must be a round opening. An oval shaped opening is NOT acceptable. The restriction must be a minimum of 4mm thick. The hole must have square corners (no radius of chamfer on either side).		
		Seat height will be measured at the lowest part of the top of the seat. Wheelbase: The length of a horizontal line connecting two vertical lines drawn from the center point of each axle to the surface, with the rear axle adjusted to its maximum rearward position. Wheelbase shall be measured with the machine in an upright unloaded position.		
5	65cc Jr	7 - 9	59cc – 65cc	* Minimum wheel size 12 inches. Maximum front wheel 14 inches. Maximum (adjusted length) wheelbase 45 inches. Maximum wheelbase must maintain manufacturer specifications.
5.1	65cc Sr	10-11	2 Stroke	
6	65cc Open	7 - 11		
7	85cc Jr	9 - 11	79cc – 85cc 2 Stroke	Maximum front wheel 17 inches. Minimum rear wheel 14 inches. Maximum rear wheel 14 inches. Maximum wheelbase 51 inches.
8	Super Jr	9 - 11	79cc – 85cc 2 Stroke	Maximum wheelbase 52 inches. Maximum front wheel size 19 inches. Maximum rear wheel size 16 inches.
9	Girls	9 -15	79cc – 85cc 2 Stroke	Maximum front wheel 19 inches. Minimum rear wheel 14 inches. Maximum rear wheel 16 inches. Maximum wheelbase 52 inches.
10	Youth Beginner	9 – 16 (Non Points)	79cc – 112cc 2 Stroke/75cc 150cc 4 Stroke	Must be 12 years of age or older to ride anything bigger than an 85cc. Maximum wheelbase 52 inches. Maximum front wheel size 19 inches. Maximum rear wheel size 16 inches.
11	85 Sr/Mini Sr	12 - 14	79cc – 85cc 2 Stroke/ 75cc- 150cc 4 Stroke	Max. Wheels: Front 17"; rear 14" Max. Wheelbase: 51"
12	Super Mini	Thru - 16	79cc – 112cc 2 Stroke/75cc 150cc 4 Stroke	Maximum wheelbase 52 inches. Maximum front wheel size 19 inches. Maximum rear wheel size 16 inches.
13	Schoolboy 1 (B/C)	12 - 17	86cc – 125cc 2 Stroke/75cc – 150cc 4 Stroke	Minimum front wheel size 19 inches. Minimum rear wheel size 16 inches.
14	Schoolboy 2 (B/C)	14 -17	122cc – 250cc	Minimum wheelbase 53 inches. No minicycle or Supermini.

Mid America Motocross Series Classes

Class Number	Class	Age Requirements	Engine Size/Type	Notes
15	125cc (B/C)	12 +	122cc – 125cc 2 Stroke Only	Minimum wheelbase 53 inches. No minicycle or Supermini.
16	Women	12 +	99cc – 250cc	Minimum front wheel size 19 inches. Minimum rear wheel size 16 inches.
17	College (B/C)	14 - 24	122cc - Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
18	2 Stroke Open	16 +	122cc - Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
19	Adult Beginner	14 + (Non Points)	122cc - Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
20	250 C	14 +	122cc – 250cc	Minimum wheelbase 53 inches. No minicycle or Supermini.
21	250 B	14 +	122cc – 250cc	Minimum wheelbase 53 inches. No minicycle or Supermini.
22	250 A	14 +	122cc – 250cc	Minimum wheelbase 53 inches. No minicycle or Supermini.
23	Open C	14 +	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
23.1	Open C	21 +	122cc – 250cc	Minimum wheelbase 53 inches. No minicycle or Supermini.
24	Open B	14 +	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
25	Open A	14 +	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
Class Number	Class	Payout	Engine Size/Type	Notes
26	25 Plus	80% Minimum	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
27	30 Plus	Trophy	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
28	30 Plus	80% Minimum	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
29	35 Plus	80% Minimum	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
30	40 Plus	80% Minimum	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.
31				
32	50 Plus	80% Minimum	122cc – Open	Minimum wheelbase 53 inches. No minicycle or Supermini.

Mid America Motocross Series Classes

50cc (4-8) Special Class

KTM Detail Chart

KTM 50cc models							
Year	Model		Cooling	Front Wheel	Rear Wheel	Brake Front	Brake Rear
2005	50 Mini Adventure	Yes	Air	10"	10"	Drum	Drum
2005	50 Senior Adventure	No	Air	12"	10"	Disc	Drum
2005	50 SX Pro Junior	No	Liquid	10"	10"	Disc	Drum
2005	50 SX Pro Senior	No	Liquid	12"	10"	Disc	Disc
2006	50 Mini Adventure	Yes	Air	10"	10"	Drum	Drum
2006	50 Senior Adventure	No	Air	12"	10"	Disc	Drum
2006	50 SX Junior	No	Liquid	10"	10"	Disc	Drum
2006	50 SX	No	Liquid	12"	10"	Disc	Disc
2007	50 Mini Adventure	Yes	Air	10"	10"	Drum	Drum
2007	50 Senior Adventure	No	Air	12"	10"	Disc	Drum
2007	50 SX Junior	No	Liquid	10"	10"	Disc	Disc
2007	50 SX	No	Liquid	12"	10"	Disc	Disc
2008	50 SX Mini	Yes	Air	10"	10"	Disc	Drum
2008	50 SX Junior	No	Liquid	10"	10"	Disc	Disc
2008	50 SX	No	Liquid	12"	10"	Disc	Disc
2009	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2009	50 SX Jr	No	Liquid	10"	10"	Disc	Disc
2009	50 SX	No	Liquid	12"	10"	Disc	Disc
2010	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2010	50 SX	No	Liquid	12"	10"	Disc	Disc
2011	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2011	50 SX	No	Liquid	12"	10"	Disc	Disc
2011	50 SXS	No	Liquid	12"	10"	Disc	Disc
2012	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2012	50 SX	No	Liquid	12"	10"	Disc	Disc
2012	50 SXS	No	Liquid	12"	10"	Disc	Disc
2013	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2013	50 SX	No	Liquid	12"	10"	Disc	Disc
2013	50 SXS	No	Liquid	12"	10"	Disc	Disc
2014	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2014	50 SX	No	Liquid	12"	10"	Disc	Disc
2014	50 SXS	No	Liquid	12"	10"	Disc	Disc
2015	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2015	50 SX	No	Liquid	12"	10"	Disc	Disc
2015	50 SXS	No	Liquid	12"	10"	Disc	Disc
2016	50 SX Mini	Yes	Liquid	10"	10"	Disc	Disc
2016	50 SX	No	Liquid	12"	10"	Disc	Disc
2016	50 SXS	No	Liquid	12"	10"	Disc	Disc